

HEAT-RELATED ILLNESSES

WHAT TO LOOK FOR

WHAT TO DO

HEAT STROKE

- High body temperature (104°F or higher)
 - Hot, red, dry, or damp skin
 - Fast, strong pulse
 - Headache
 - Dizziness
 - Nausea
 - Confusion
 - Losing consciousness (passing out)
- Call 911 right away-heat stroke is a medical emergency
 - Move the person to a cooler place
 - Help lower the person's temperature with cool cloths or a cool bath
 - Do not give the person anything to drink

HEAT EXHAUSTION

- Heavy sweating
 - Cold, pale, and clammy skin
 - Fast, weak pulse
 - Nausea or vomiting
 - Muscle cramps
 - Tiredness or weakness
 - Dizziness
 - Headache
 - Fainting (passing out)
- Move to a cool place
 - Loosen your clothes
 - Put cool, wet cloths on your body or take a cool bath
 - Sip water
- Get medical help right away if:**
- You are throwing up
 - Your symptoms get worse
 - Your symptoms last longer than 1 hour

HEAT CRAMPS

- Heavy sweating during intense exercise
 - Muscle pain or spasms
- Stop physical activity and move to a cool place
 - Drink water or a sports drink
 - Wait for cramps to go away before you do any more physical activity
- Get medical help right away if:**
- Cramps last longer than 1 hour
 - You're on a low-sodium diet
 - You have heart problems

SUNBURN

- Painful, red, and warm skin
 - Blisters on the skin
- Stay out of the sun until your sunburn heals
 - Put cool cloths on sunburned areas or take a cool bath
 - Put moisturizing lotion on sunburned areas
 - Do not break blisters

HEAT RASH

- Red clusters of small blisters that look like pimples on the skin (usually on the neck, chest, groin, or in elbow creases)
- Stay in a cool, dry place
 - Keep the rash dry
 - Use powder (like baby powder) to soothe the rash



HEAT-RELATED ILLNESSES

WHAT TO LOOK FOR

WHAT TO DO

HEAT CRAMPS

- Heavy sweating during intense exercise
- Muscle pain or spasms

- Stop physical activity and move to a cool place
- Drink water or a sports drink
- Wait for cramps to go away before you do any more physical activity

Get medical help right away if:

- Cramps last longer than 1 hour
- You're on a low-sodium diet
- You have heart problems

HEAT-RELATED ILLNESSES

WHAT TO LOOK FOR

WHAT TO DO

HEAT EXHAUSTION

- Heavy sweating
- Cold, pale, and clammy skin
- Fast, weak pulse
- Nausea or vomiting
- Muscle cramps
- Tiredness or weakness
- Dizziness
- Headache
- Fainting (passing out)

- Move to a cool place
- Loosen your clothes
- Put cool, wet cloths on your body or take a cool bath
- Sip water

Get medical help right away if:

- You are throwing up
- Your symptoms get worse
- Your symptoms last longer than 1 hour

HEAT-RELATED ILLNESSES

WHAT TO LOOK FOR

WHAT TO DO

HEAT STROKE

- High body temperature (104°F or higher)
- Hot, red, dry, or damp skin
- Fast, strong pulse
- Headache
- Dizziness
- Nausea
- Confusion
- Losing consciousness (passing out)

- Call 911 right away-heat stroke is a medical emergency
- Move the person to a cooler place
- Help lower the person's temperature with cool cloths or a cool bath
- Do not give the person anything to drink